



فرست اوتوماشن

Observation Window with meter

Series CZ2000-1-BW70



Products Features

- CZ2000/1-BA7 Switch modules have 2P or 4P for options, can be used together with 11 different operation heads (pushbuttons, switches, key operated switches, E-stop pushbuttons).
- CZ2000/1-BB7 control switch module, available in 2P~12P control functions.
- CZ2000/1-BD7 Signal lamp module, LED light source, four voltage ratings, five colors in red, green, yellow, white, blue are available.
- CZ2000/1-BG7 Light-control switch module, can be applied to Ex d or Ex e enclosure.
- CZ2000/1-BP7 Flameproof potentiometer module, 100Ω~2MΩ, Max 0.1W.
- CZ2000/1-B□ switch handle, to operate the switch modules 63A, 100A, 250A, 400A, 630A from the front. or to operate the switch modules 100A, 250A from the side.
- CZ2000/1-BW7 observation window for instruments φ64mm, φ89mm.
- CZ2000/1-BI7 observation and operation window for instruments, window have four sizes.
- CZ2000/2A Flameproof cable bushing, thread size M16 to M80, conductor size 0.5mm²-120mm².
- CZ2000/2B Flameproof cable bushing, thread M50, conductor size 0.5mm²-120mm², to be used for the connection of two Ex d enclosures.
- CZ2000/3 Flameproof binding pillar, thread M42, wiring capacity 50mm²-240mm².
- International IECEx approval, European union ATEX certifications (U).
- Accessories: special spanner, label, safety latch.



فرست اوتوماشن

Observation Window with meter

Series CZ2000-1-BW70



Product Parameter

Product type:	Exd flameproof observation window(with meter)
Certification:	IECEX ATEX
Application range (zones):	2G/Gb/zone 1; 2Db/Db/zone 21
Min.ambient temperature:	-55°C
Max.ambient temperature:	+60°C
Min.service temperature:	-55°C
Max.service temperature:	+80°C
Degree of protection:	IP66
Material of enclosure:	aluminum-alloy





فرست اوتوماشن

Observation Window with meter

Series CZ2000-1-BW70



Illustration

Order No.



CZ2000/1-BW701-□


CZ2000/1-BW702-□



فرست اوتوماشن






Observation Window with meter

Series CZ2000-1-BW70





- ① CZ2000/1-BW70 □ Ex d Flameproof observation window (with meter)
- ② Ex d box
- ③ Ammeter, voltmeter

Outline dimensions



48-type



72-type

